AC009EXT - AC039EXT AC071EXT - AC072EXT

hotbath italian bathroomware

Trim parts for thermomixers
Parti esterne per miscelatori termostatici
Parties extérieures pour mitigeurs thermostatiques
AP-Teile für Thermostatmischer
Partes exteriores para monomandos termostáticos
Afbouwdeel t.b.v. inbouw thermostaatkranen

AC009EXT





AC071EXT



AC039EXT






AC072EXT




BEFORE STARTING / PRIMA DI INIZIARE / AVANT DE COMMENCER / ANTES DE EMPEZAR / VOR DEM START / VOORDAT JE BEGINT





MAX













TECHNICAL FEATURES

PRESSURE RANGE MIN/MAX 0,5/5 BAR
(IN CASE OF WATER PRESSURE HIGHER THAN 5 BAR WE RECOMMEND TO INSTALL PRESSURE REDUCERS).
RECOMMENDED PRESSURE 3 BAR.

OPERATION:

EITHER WITH GAS OR ELECTRIC ACCUMULATION BOILERS OR CENTRALISED SYSTEMS.

SAFETY LOCK AT:

MIN. WORKING TEMPERATURE:

3° C

MIN. RECOMMENDED:

15° C

MAX. WORKING TEMPERATURE:

70° C

MAX. RECOMMENDED:


65° C


RECOMMENDED THERMAL DIFFERENTIAL


50° C


THERMAL DISINFECTION IS ALLOWED.


SAFETY SYSTEM WITH FLOW STOP IN CASE OF LACK OF ONE OF THE TWO WATERS.
























INSTALLATION (THERMOMIXER AND DIVERTER HANDLES)













INSTALLATION (SPOUT)







INSTALLATION (HAND SHOWER SUPPORT)







INSTALLATION (HAND SHOWER SUPPORT)










MAINTENANCE (THERMOSTATIC CARTRIDGE)








MAINTENANCE (THERMOSTATIC CARTRIDGE)













MAINTENANCE (DIVERTER AND SPOUT)





CLEANING - PULIZIA - NETTOYAGE - REINIGUNG - LIMPIEZA - REINIGING

		Ø		8	3	WARNING	
CR CHROME	WATER 🔇	LIQUID SOAP	SMOOTH CLOTH	ABRASIVE SPONGE	ACID/ABRASIVE ACID/ABRASIVE	Inoxidable electrolitic finish Finitura elettrolitica inossidabile Finition électrolytique inoxydable	Inoxidierbare elektrolytische Ausführung Acabado electrolítico inoxidable Inoxidable elektrolitische afwerking
GN BRUSHED NICKEL	WATER 🔇	LIQUID SOAP	SMOOTH CLOTH	ABRASIVE SPONGE	ACID/ABRASIVE X	Inoxidable electrolitic finish Finitura elettrolitica inossidabile Finition électrolytique inoxydable	Inoxidierbare elektrolytische Ausführung Acabado electrolítico inoxidable Inoxidable elektrolitische afwerking
BBP BRUSHED BRASS PVD	WATER W	LIQUID SOAP	SMOOTH CLOTH	ABRASIVE SPONGE	ACID/ABRASIVE X	Inoxidable PVD finish Finitura PVD inossidabile Finition PVD inoxydable	Inoxidierbare PVD Ausführung Acabado PVD inoxidable Inoxidable PVD afwerking
BCP BRUSHED COPPER PVD	WATER	LIQUID SOAP	SMOOTH CLOTH	ABRASIVE SPONGE	ACID/ABRASIVE ACID/ABRASIVE	Inoxidable PVD finish Finitura PVD inossidabile Finition PVD inoxydable	Inoxidierbare PVD Ausführung Acabado PVD inoxidable Inoxidable PVD afwerking
MBP MATT BLACK PVD	WATER 🔇	LIQUID SOAP	SMOOTH CLOTH	ABRASIVE SPONGE	ACID/ABRASIVE ACID/ABRASIVE	Inoxidable PVD finish Finitura PVD inossidabile Finition PVD inoxydable	Inoxidierbare PVD Ausführung Acabado PVD inoxidable Inoxidable PVD afwerking
PBP POLISHED BLACK PVD	WATER 🐼	LIQUID SOAP	SMOOTH CLOTH	ABRASIVE SPONGE	ACID/ABRASIVE ACID/ABRASIVE	Inoxidable PVD finish Finitura PVD inossidabile Finition PVD inoxydable	Inoxidierbare PVD Ausführung Acabado PVD inoxidable Inoxidable PVD afwerking

TERMS OF SALE AND WARRANTY
CONDIZIONI DI VENDITA E GARANZIA
CONDITIONS DE VENTE ET GARANTIE
CONDICIONES DE VENTA Y GARANTÍA
VERKAUFSBEDINGUNGEN UND GARANTIE
VERKOOP- EN GARANTIEVOORWAARDEN

NETHERLANDS BELGIUM LUXEMBOURG UK AND IRELAND

ALL COUNTRIES (EXCEPTED BENELUX, UK AND IRELAND)

https://www.hotbath.nl/garantie

https://hotbath.it/en/termsofsale



Hotbath B.V. Nieuwland Parc 210 2952 DC Alblasserdam Nederland E info@hotbath.nl

W hotbath.nl



Hotbath Srl
Via Marco Polo 135/D
I-55049 Viareggio
Italy
E info@hotbath.it
W hotbath.it

